



# Appendix 11 DISCHARGER GROUP SCHEME



# Appendix 11 INDIVIDUAL DISCHARGE SCHEME



## **Appendix 11**

### **DEFINITIONS FOR DISCHARGES FROM IRRIGATED LANDS**

“Receiving Waters” means surface waters that receive or contain discharges from irrigated lands.

“Receiving Waters Limit” means applicable water quality objectives as defined by the Basin Plan, its amendments, California Toxics Rule, and any applicable regulations including but not limited to those in the California Water Code for waterbodies listed in Appendix 4.

“Riparian” means irrigated lands that contain or are adjacent to waterbodies listed on Appendix 4.

“Monitoring Points” for Riparian Group Dischargers and Riparian Individuals Dischargers shall be located at the discharge or up to 50-feet downstream and upstream from discharge point or at the closest accessible entrance where irrigated lands discharge mixes with receiving waters listed on Appendix 4, or at points within the receiving water listed on Appendix 4 approved by the Executive Officer.

“Monitoring Points” for Non-Riparian Group Dischargers and Non-Riparian Individual Dischargers means each point at the edge of discharger’s property where irrigated lands discharge leaves the discharger’s property, or at points on discharger’s property approved by the Executive Officer.

“Compliance Points” for Riparian Group Dischargers and Riparian Individual Dischargers are located at monitoring points in Receiving Waters listed on Appendix 4. Compliance points are located at the discharge or up to 50-feet downstream from each discharged point or at the closest accessible entrance where irrigated lands discharge mixes with receiving water listed on Appendix 4, or at points in the receiving water approved by the Executive Officer.

“Compliance Points” for Non-Riparian Individuals are located at each monitoring point where irrigated lands discharge leaves the discharger’s property, or at points on the discharger’s property approved by the Executive Officer.

“Compliance Points” for Non-Riparian Groups are located each monitoring point where irrigated lands discharge leaves the discharger’s property. If the discharges continuously go through other irrigated lands and discharge to surface water then compliance point shall be located at the discharge or up to 50-feet downstream from each discharged point or at the closest accessible entrance where irrigated lands discharge mixes with receiving water listed on Appendix 4, or at points within the receiving water approved by the Executive Officer.

